

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Name	: Technoclean -T30-
UFI	: JVYN-4ET8-MH02-KXH1
Product code	: 5705.0_77001RI78
Type of product	: Detergent
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Professional use, Consumer use
Industrial/Professional use spec	: A.I.S.E. Guidance on Detergents Safe Use Mixture Information (SUMI): https://www.aise.eu/our-activities/regulatory-context/reach/safe-use-information-for-end-users.aspx
Use of the substance/mixture	: The data given here is based on the product properties as mentioned in section 1.1. and is provided on the assumption, that the product will be used in the manner and for the purposes for which the manufacturer indicates.
Use of the substance/mixture	: Cleaner
Function or use category	: Cleaning/washing agents and additives

Title	Use descriptors
Professional uses; Brushing after trigger spraying or brushing with tools (Association ref code: AISE_SUMI_PW_10_2_G)	SU22, PC35, PROC10, ERC8a, AISE SPERC 8a.1.a.v2
Professional uses; Manual application (Association ref code: AISE_SUMI_PW_19_2_G)	SU22, PC35, PROC19, ERC8a, AISE SPERC 8a.1.a.v2
Professional uses; Semi-closed system (Association ref code: AISE_SUMI_PW_4_1)	SU22, PC35, PROC2, ERC8a, AISE SPERC 8a.1.a.v2
Transfer of product to a container (bottle/bucket/machine) (Association ref code: AISE_SUMI_PW_8a_1_G)	SU22, PC35, PROC8a, ERC8a, AISE SPERC 8a.1.a.v2
Consumer use of washing and cleaning products	SU21, PC35, ERC8a

Full text of use descriptors: see section 16

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Alco Cleaners en Coatings BV
 Bremweg 16
 NL- 5951 DK Belfeld
 Nederland
 T +31 (0) 774762113
info@alco-cc.com - <https://www.alco-cc.com/>

1.4. Emergency telephone number

Emergency number : See Section 1.3; Only during office hours

Technoclean -T30-

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Israel	Israel Poison Information Center Rambam Health Care Campus	6 Ha'Aliya Street 31096	+972 4 854 1900	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD 2090	+356 2545 6508	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1	H290
Skin corrosion/irritation, Category 1	H314
Serious eye damage/eye irritation, Category 1	H318
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

May be corrosive to metals.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

Signal word (CLP)

: Danger

Contains

: SODIUM METASILICATE; POTASSIUM HYDROXIDE

Hazard statements (CLP)

: H290 - May be corrosive to metals.
H314 - Causes severe skin burns and eye damage.
P102 - Keep out of reach of children.
P280 - Wear protective gloves, eye protection.
P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER or doctor.
P390 - Absorb spillage to prevent material damage.
P405 - Store locked up.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Intended for general public

Child-resistant fastening

: Applicable

Tactile warning

: Applicable

Technoclean -T30-

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2.3. Other hazards

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
3-butoxypropan-2-ol (INCI: PROPYLENE GLYCOL BUTYL ETHER)	CAS-No.: 5131-66-8 EC-No.: 225-878-4 EC Index-No.: 603-052-00-8 REACH-no: 01-2119475527-28	1 – 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319
1-methoxy-2-propanol; monopropylene glycol methyl ether (INCI: METHOXYISOPROPANOL) substance with national workplace exposure limit(s) (GB, IE, MT); substance with a Community workplace exposure limit	CAS-No.: 107-98-2 EC-No.: 203-539-1 EC Index-No.: 603-064-00-3 REACH-no: 01-2119457435-35	1 – 5	Flam. Liq. 3, H226 STOT SE 3, H336
Sodiumoctylsulfate (INCI: SODIUM ETHYLHEXYL SULFATE)	CAS-No.: 126-92-1 EC-No.: 204-812-8 REACH-no: 01-2119971586-23	1 – 5	Skin Irrit. 2, H315 Eye Dam. 1, H318
Potassiumcocoate (INCI: POTASSIUM COCOATE)	CAS-No.: 61789-30-8 EC-No.: 263-049-9	1 – 5	Eye Irrit. 2, H319
Disodium metasilicate (INCI: SODIUM METASILICATE)	CAS-No.: 6834-92-0 EC-No.: 229-912-9 EC Index-No.: 014-010-00-8 REACH-no: 01-2119449811-37	1 – 5	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 STOT SE 3, H335
Potassium hydroxide (INCI: POTASSIUM HYDROXIDE) substance with national workplace exposure limit(s) (GB, IE)	CAS-No.: 1310-58-3 EC-No.: 215-181-3 EC Index-No.: 019-002-00-8 REACH-no: 01-2119487136-33	0,1 – 1	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Eye Dam. 1, H318
Sodium hydroxide (INCI: SODIUM HYDROXIDE) substance with national workplace exposure limit(s) (GB, IE)	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892-27	< 0,1	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318

Technoclean -T30-

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
3-butoxypropan-2-ol (INCI: PROPYLENE GLYCOL BUTYL ETHER)	CAS-No.: 5131-66-8 EC-No.: 225-878-4 EC Index-No.: 603-052-00-8 REACH-no: 01-2119475527-28	(20 ≤C < 100) Skin Irrit. 2, H315 (20 ≤C < 100) Eye Irrit. 2, H319
Sodiumoctylsulfate (INCI: SODIUM ETHYLHEXYL SULFATE)	CAS-No.: 126-92-1 EC-No.: 204-812-8 REACH-no: 01-2119971586-23	(10 ≤C < 20) Eye Irrit. 2, H319 (20 ≤C < 100) Eye Dam. 1, H318
Potassium hydroxide (INCI: POTASSIUM HYDROXIDE)	CAS-No.: 1310-58-3 EC-No.: 215-181-3 EC Index-No.: 019-002-00-8 REACH-no: 01-2119487136-33	(0,5 ≤C < 2) Eye Irrit. 2, H319 (0,5 ≤C < 2) Skin Irrit. 2, H315 (2 ≤C < 5) Skin Corr. 1B, H314 (5 ≤C < 100) Skin Corr. 1A, H314
Sodium hydroxide (INCI: SODIUM HYDROXIDE)	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892-27	(0,5 ≤C < 2) Eye Irrit. 2, H319 (0,5 ≤C < 2) Skin Irrit. 2, H315 (2 ≤C < 5) Skin Corr. 1B, H314 (5 ≤C < 100) Skin Corr. 1A, H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER/doctor.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Causes severe skin burns and eye damage.
Symptoms/effects after inhalation	: Overexposure may result in : Soar throat. Cough. Shortness of breath. Difficulty in breathing.
Symptoms/effects after skin contact	: Burns. Redness, pain.
Symptoms/effects after eye contact	: Blurred vision. Burning sensation. Tears. Redness, pain. Causes serious eye damage.
Symptoms/effects after ingestion	: May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.

Technoclean -T30-

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

5.2. Special hazards arising from the substance or mixture

Fire hazard : Not combustible.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Concerning personal protective equipment to use, see section 8. Material spilled on hard surface can present a serious slipping/falling hazard.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.
Emergency procedures : Ventilate area.

6.2. Environmental precautions

Do not flush into surface water. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Dispose of in accordance with relevant local regulations. Wash away remainder with plenty of water.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Normal precautions for the use of chemicals and cleaners should be taken care of. See information supplied by the manufacturer. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures : Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.
Storage conditions : Keep only in the original container in a cool, well ventilated place. Keep container tightly closed. Protect from freezing. Store in corrosive resistant container with a resistant inner liner. Keep only in original container.
Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight. Metals.

7.3. Specific end use(s)

No additional information available

Technoclean -T30-

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

1-methoxy-2-propanol; monopropylene glycol methyl ether (INCI: METHOXYISOPROPANOL) (107-98-2)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	1-Methoxypropanol-2
IOEL TWA	375 mg/m ³
IOEL TWA [ppm]	100 ppm
IOEL STEL	568 mg/m ³
IOEL STEL [ppm]	150 ppm
Remark	Skin
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
Ireland - Occupational Exposure Limits	
Local name	Propylene glycol monomethyl ether
OEL TWA [1]	375 mg/m ³
OEL TWA [2]	100 ppm
OEL STEL	568 mg/m ³
OEL STEL [ppm]	150 ppm
Regulatory reference	Code of Practice for the Chemical Agents Regulations 2016
Malta - Occupational Exposure Limits	
Local name	1-Methoxypropanol-2
OEL TWA	375 mg/m ³
OEL TWA [ppm]	100 ppm
OEL STEL	568 mg/m ³
OEL STEL [ppm]	150 ppm
Regulatory reference	S.L.424.24
United Kingdom - Occupational Exposure Limits	
Local name	1-Methoxypropan-2-ol
WEL TWA (OEL TWA) [1]	375 mg/m ³
WEL TWA (OEL TWA) [2]	100 ppm
WEL STEL (OEL STEL)	560 mg/m ³
WEL STEL (OEL STEL) [ppm]	150 ppm
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40. HSE
Potassium hydroxide (INCI: POTASSIUM HYDROXIDE) (1310-58-3)	
Ireland - Occupational Exposure Limits	
Local name	Potassium hydroxide
OEL STEL	2 mg/m ³

Technoclean -T30-

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Potassium hydroxide (INCI: POTASSIUM HYDROXIDE) (1310-58-3)	
Regulatory reference	Code of Practice for the Chemical Agents Regulations 2016
United Kingdom - Occupational Exposure Limits	
Local name	Potassium hydroxide
WEL STEL (OEL STEL)	2 mg/m ³
Regulatory reference	EH40. HSE
Sodium hydroxide (INCI: SODIUM HYDROXIDE) (1310-73-2)	
Ireland - Occupational Exposure Limits	
Local name	Sodium hydroxide
OEL STEL	2 mg/m ³
Regulatory reference	Code of Practice for the Chemical Agents Regulations 2016
United Kingdom - Occupational Exposure Limits	
Local name	Sodium hydroxide
WEL STEL (OEL STEL)	2 mg/m ³
Regulatory reference	EH40. HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Technoclean -T30-	
DNEL/DMEL (additional information)	
See http	//www.dguv.de/ifa/de/gestis/limit_values/index.jsp: Information on ingredients.
3-butoxypropan-2-ol (INCI: PROPYLENE GLYCOL BUTYL ETHER) (5131-66-8)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	44 – 52 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	270,5 (147 – 270,5) mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	8,75 – 12,5 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	33,8 – 43 mg/m ³
Long-term - systemic effects, dermal	16 – 22 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0,525 mg/l
PNEC aqua (marine water)	0,0525 mg/l
PNEC aqua (intermittent, freshwater)	5,25 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	2,36 mg/kg dwt
PNEC sediment (marine water)	0,236 mg/kg dwt

Technoclean -T30-

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

3-butoxypropan-2-ol (INCI: PROPYLENE GLYCOL BUTYL ETHER) (5131-66-8)	
PNEC (Soil)	
PNEC soil	0,16 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	10 mg/l
1-methoxy-2-propanol; monopropylene glycol methyl ether (INCI: METHOXYISOPROPANOL) (107-98-2)	
DNEL/DMEL (Workers)	
Acute - local effects, inhalation	553,5 mg/m ³
Long-term - systemic effects, dermal	50,6 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	369 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects,oral	3,3 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	43,9 mg/m ³
Long-term - systemic effects, dermal	18,1 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	10 mg/l
PNEC aqua (marine water)	1 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	41,6 mg/kg dwt
PNEC sediment (marine water)	4,17 mg/kg dwt
PNEC (Soil)	
PNEC soil	2,47 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	100 mg/l
Sodiumoctylsulfate (INCI: SODIUM ETHYLHEXYL SULFATE) (126-92-1)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	4060 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	285 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects,oral	24 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	85 mg/m ³
Long-term - systemic effects, dermal	2440 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0,1357 mg/l
PNEC aqua (marine water)	0,01357 mg/l
PNEC (Sediment)	
PNEC sediment (marine water)	0,15 mg/kg dwt
PNEC (Soil)	
PNEC soil	0,22 mg/kg dwt

Technoclean -T30-

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Sodiumoctylsulfate (INCI: SODIUM ETHYLHEXYL SULFATE) (126-92-1)	
PNEC (STP)	
PNEC sewage treatment plant	1,35 mg/l
Disodium metasilicate (INCI: SODIUM METASILICATE) (6834-92-0)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	1,49 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	6,22 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects,oral	0,74 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	1,55 mg/m ³
Long-term - systemic effects, dermal	0,74 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	7,5 mg/l
PNEC aqua (marine water)	1 mg/l
PNEC aqua (intermittent, freshwater)	7,5 mg/l
PNEC (STP)	
PNEC sewage treatment plant	1000 mg/l
Potassium hydroxide (INCI: POTASSIUM HYDROXIDE) (1310-58-3)	
DNEL/DMEL (Workers)	
Long-term - local effects, inhalation	1 mg/m ³
DNEL/DMEL (General population)	
Long-term - local effects, inhalation	1 mg/m ³

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid contact with skin, eyes and clothing. Avoid all unnecessary exposure. Hand protection. Gloves. Eye protection. eye protection. Protect eyes, face and skin from liquid splashes.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Wear eye/face protection. Chemical goggles or safety glasses. Standard. EN 166

8.2.2.2. Skin protection

Skin and body protection:

If repeated skin contact or contamination of clothing is likely, protective clothing should be worn

Technoclean -T30-

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hand protection:

protective gloves. Chemical resistant gloves (according to European standard NF EN 374 or equivalent). By prolonged exposure : Reusable gloves. Short term exposure. If there is a risk of liquid being splashed : Disposable gloves / Reusable gloves

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR)	6 (> 480 minutes)	>0.35 mm (NBR); >0.7 mm (HNBR)		EN 374-3
Disposable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR)	2 (> 30 minutes)	> 0.1 mm		EN 374-3

8.2.2.3. Respiratory protection

Respiratory protection:

No special protection required where adequate ventilation is maintained

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: ≥ 100 °C
Flammability	: Not applicable
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 60 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: 13,15 (20°C)
Viscosity, kinematic	: < 9,434 mm ² /s
Viscosity, dynamic	: < 10 mPa.s (20°C)
Solubility	: Material highly soluble in water. completely soluble.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 1,06 g/cm ³ (20°C)
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

Technoclean -T30-

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

React in contact of. Strong acids and oxidants.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Avoid : Strong acids. Aluminium. metals.

10.6. Hazardous decomposition products

Thermal decomposition generates : fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

3-butoxypropan-2-ol (INCI: PROPYLENE GLYCOL BUTYL ETHER) (5131-66-8)

LD50 oral rat	3300 mg/kg
LD50 oral	> 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat	> 3,5 mg/l/4h

1-methoxy-2-propanol; monopropylene glycol methyl ether (INCI: METHOXYISOPROPANOL) (107-98-2)

LD50 oral rat	4016 – 5000 mg/kg
LD50 oral	3739 mg/kg bodyweight
LD50 dermal rabbit	13500 mg/kg
LD50 dermal	> 2000 mg/kg bodyweight
LC50 Inhalation - Rat	6 mg/l/4h
LC50 Inhalation - Rat (Dust/Mist)	> 26315 mg/l/4h

Sodiumoctylsulfate (INCI: SODIUM ETHYLHEXYL SULFATE) (126-92-1)

LD50 oral rat	2840 – 4000 mg/kg
LD50 dermal rat	2000 – 6540 µl/kg

Disodium metasilicate (INCI: SODIUM METASILICATE) (6834-92-0)

LD50 oral rat	1152 – 1349 mg/kg
LD50 oral	662 mg/kg bodyweight
LD50 dermal rat	> 5000 mg/kg

Technoclean -T30-

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Disodium metasilicate (INCI: SODIUM METASILICATE) (6834-92-0)	
LC50 Inhalation - Rat	> 2,06 mg/l
Potassium hydroxide (INCI: POTASSIUM HYDROXIDE) (1310-58-3)	
LD50 oral rat	333 mg/kg
LD50 oral	333 mg/kg bodyweight
Sodium hydroxide (INCI: SODIUM HYDROXIDE) (1310-73-2)	
LD50 oral rat	> 500 mg/kg (Rabbit)
Skin corrosion/irritation	: Causes severe skin burns. pH: 13,15 (20°C)
Potassium hydroxide (INCI: POTASSIUM HYDROXIDE) (1310-58-3)	
pH	> 14
Sodium hydroxide (INCI: SODIUM HYDROXIDE) (1310-73-2)	
pH	> 14 > 14 (20 °C)
Serious eye damage/irritation	: Causes serious eye damage. pH: 13,15 (20°C)
Potassium hydroxide (INCI: POTASSIUM HYDROXIDE) (1310-58-3)	
pH	> 14
Sodium hydroxide (INCI: SODIUM HYDROXIDE) (1310-73-2)	
pH	> 14 > 14 (20 °C)
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
1-methoxy-2-propanol; monopropylene glycol methyl ether (INCI: METHOXYISOPROPANOL) (107-98-2)	
STOT-single exposure	May cause drowsiness or dizziness.
Disodium metasilicate (INCI: SODIUM METASILICATE) (6834-92-0)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Technoclean -T30-	
Viscosity, kinematic	< 9,434 mm ² /s
1-methoxy-2-propanol; monopropylene glycol methyl ether (INCI: METHOXYISOPROPANOL) (107-98-2)	
Viscosity, kinematic	2 mm ² /s

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Technoclean -T30-

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

11.2.2. Other information

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met. With the product as such no toxicological tests have been done. According to the criteria of art. 3 from (EC) Nr. 1272/2008 [CLP] this product is classified as mentioned in section 2. Components that are toxic are mentioned in section 3.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : With the product as such no ecological tests have been done. According to the criteria of art. 3 from (EC) Nr. 1272/2008 [CLP] this product is classified concerning the environment as mentioned in section 2. Components that are dangerous to the environment are mentioned in section 3.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

3-butoxypropan-2-ol (INCI: PROPYLENE GLYCOL BUTYL ETHER) (5131-66-8)	
LC50 - Fish [1]	560 – 1000 mg/l (96h, Poecilia reticulata)
EC50 - Crustacea [1]	> 1000 mg/l (48h)
EC50 - Other aquatic organisms [1]	> 1000 mg/l
EC50 72h - Algae [1]	> 1000 mg/l (Algae, 72h, Selenastrum capricornutum)
NOEC chronic algae	560 mg/l (96h, Pseudokirchneriella subcapitata)
1-methoxy-2-propanol; monopropylene glycol methyl ether (INCI: METHOXYISOPROPANOL) (107-98-2)	
LC50 - Fish [1]	> 4000 (4000 – 10000) mg/l (96h, Leuciscus idus)
LC50 - Fish [2]	20800 mg/l (96h, Pimephales promelas)
EC50 - Crustacea [1]	23300 mg/l (48h)
EC50 - Crustacea [2]	> 500 mg/l (48h)
EC50 - Other aquatic organisms [1]	23300 mg/l EC50 waterflea (48 h)
EC50 - Other aquatic organisms [2]	> 500 mg/l IC50 alga (72 h) mg/l
EC50 72h - Algae [1]	> 1000 mg/l (72h, Pseudokirchneriella subcapitata)
Sodiumoctylsulfate (INCI: SODIUM ETHYLHEXYL SULFATE) (126-92-1)	
LC50 - Fish [1]	> 40 mg/l (96h, Oncorhynchus mykiss, semi-static)
LC50 - Fish [2]	> 100 (96h)
EC50 - Crustacea [1]	483 mg/l (48h)
EC50 72h - Algae [1]	511 mg/l (72h, Desmodesmus subspicatus)
EC50 72h - Algae [2]	> 511 mg/l (72h, IC 50)
Potassiumcocoate (INCI: POTASSIUM COCOATE) (61789-30-8)	
LC50 - Fish [1]	> 10 mg/l
EC50 - Crustacea [1]	> 10 mg/l (48h)
Disodium metasilicate (INCI: SODIUM METASILICATE) (6834-92-0)	
LC50 - Fish [1]	210 mg/l
EC50 - Crustacea [1]	1700 – 4857 mg/l (48h)

Technoclean -T30-

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Disodium metasilicate (INCI: SODIUM METASILICATE) (6834-92-0)	
EC50 - Other aquatic organisms [2]	> 1000 mg/l (Bacteriacea, (Sodiumsilicate solution 35%,Pseudomonas putida, OECD 209))
EC50 72h - Algae [1]	207 mg/l (72h, Scenedesmus subspicatus)
Potassium hydroxide (INCI: POTASSIUM HYDROXIDE) (1310-58-3)	
LC50 - Fish [1]	45,4 – 80 mg/l (96h, Min: Oncorhynchus mykiss / Max: Gambusia affinis)
LC50 - Fish [2]	80 (24h)
EC50 - Crustacea [1]	40 – 40,4
EC50 - Crustacea [2]	40 – 240
Sodium hydroxide (INCI: SODIUM HYDROXIDE) (1310-73-2)	
LC50 - Fish [1]	33 – 189 mg/l (96h)
LC50 - Fish [2]	189 (48h, Leuciscus idus, OECD 203) 125 mg/l (Gambusia affinis; 96 h) 145 mg/l (Poecilia reticulata; 24 h)
LC50 - Other aquatic organisms [1]	45,5 mg/l (LC50, fish, Oncorhynchus mykiss)
EC50 - Crustacea [1]	33 – 450 (48h)
EC50 - Crustacea [2]	40,4 mg/l (48h, Ceriodaphnia sp.)
EC50 - Other aquatic organisms [1]	> 33 mg/l EC50 waterflea (48 h)
12.2. Persistence and degradability	
Technoclean -T30-	
Persistence and degradability	Not established. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
3-butoxypropan-2-ol (INCI: PROPYLENE GLYCOL BUTYL ETHER) (5131-66-8)	
Biodegradation	90 % (28d, OECD 301E)
1-methoxy-2-propanol; monopropylene glycol methyl ether (INCI: METHOXYISOPROPANOL) (107-98-2)	
Biodegradation	> 70 % (OECD 301 E)
Potassiumcocoate (INCI: POTASSIUM COCOATE) (61789-30-8)	
Persistence and degradability	Readily biodegradable.
12.3. Bioaccumulative potential	
Technoclean -T30-	
Bioaccumulative potential	Not established.
3-butoxypropan-2-ol (INCI: PROPYLENE GLYCOL BUTYL ETHER) (5131-66-8)	
Partition coefficient n-octanol/water (Log Pow)	1,2
Partition coefficient n-octanol/water (Log Kow)	0,98
1-methoxy-2-propanol; monopropylene glycol methyl ether (INCI: METHOXYISOPROPANOL) (107-98-2)	
Partition coefficient n-octanol/water (Log Pow)	-0,437
Partition coefficient n-octanol/water (Log Kow)	-0,49

Technoclean -T30-

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Sodiumoctylsulfate (INCI: SODIUM ETHYLHEXYL SULFATE) (126-92-1)

Partition coefficient n-octanol/water (Log Pow) -0,35

Partition coefficient n-octanol/water (Log Kow) -0,35

Potassiumcocoate (INCI: POTASSIUM COCOATE) (61789-30-8)

Partition coefficient n-octanol/water (Log Kow) 1,19

Disodium metasilicate (INCI: SODIUM METASILICATE) (6834-92-0)

Partition coefficient n-octanol/water (Log Pow) -5,65

Partition coefficient n-octanol/water (Log Kow) -5,65

Potassium hydroxide (INCI: POTASSIUM HYDROXIDE) (1310-58-3)

Partition coefficient n-octanol/water (Log Kow) -3,88

Sodium hydroxide (INCI: SODIUM HYDROXIDE) (1310-73-2)

Partition coefficient n-octanol/water (Log Kow) -3,88

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.
Product/Packaging disposal recommendations : This material and its container must be disposed of in a safe way, and as per local legislation. Product as it is : Chemical refuse, Dispose as hazardous waste. Empty containers can be dumped after cleaning according to local legislation. Recycling is preferred to disposal or incineration. Empty the packaging completely prior to disposal. Wash away remainder with plenty of water.
Ecology - waste materials : Avoid release to the environment.
European List of Waste (LoW) code : 20 01 29* - detergents containing dangerous substances

SECTION 14: Transport information






In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 3266	UN 3266	UN 3266	UN 3266	UN 3266

Technoclean -T30-


Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.2. UN proper shipping name				
CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	Corrosive liquid, basic, inorganic, n.o.s.	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
Transport document description				
UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide ; Disodium metasilicate), 8, III, (E)	UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Disodium metasilicate ; Potassium hydroxide), 8, III	UN 3266 Corrosive liquid, basic, inorganic, n.o.s. (Kaliumhydroxide ; Dinatriummetasilicaat), 8, III	UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Kaliumhydroxide ; Dinatriummetasilicaat), 8, III	UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Kaliumhydroxide ; Dinatriummetasilicaat), 8, III
14.3. Transport hazard class(es)				
8	8	8	8	8
				
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: C5
Special provisions (ADR)	: 274
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T7
Portable tank and bulk container special provisions (ADR)	: TP1, TP28
Tank code (ADR)	: L4BN
Tank special provisions (ADR)	: TU42
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Hazard identification number (Kemler No.)	: 80
Orange plates	: 
Tunnel restriction code (ADR)	: E
EAC code	: 2X

Transport by sea

Special provisions (IMDG)	: 223, 274
Limited quantities (IMDG)	: 5 L

Technoclean -T30-

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP1, TP28
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW2
Segregation (IMDG)	: SGG18, SG35
Properties and observations (IMDG)	: Reacts violently with acids. Causes burns to skin, eyes and mucous membranes.
MFAG-No	: 154

Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y841
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 852
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 856
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3, A803
ERG code (IATA)	: 8L

Inland waterway transport

Classification code (ADN)	: C5
Special provisions (ADN)	: 274
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0

Rail transport

Classification code (RID)	: C5
Special provisions (RID)	: 274
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T7
Portable tank and bulk container special provisions (RID)	: TP1, TP28
Tank codes for RID tanks (RID)	: L4BN
Special provisions for RID tanks (RID)	: TU42
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 80

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Technoclean -T30-

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Detergent Regulation (648/2004/EC)

Labelling of contents	
Component	%
anionic surfactants, soap, phosphates, amphoteric surfactants	<5%

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Raw materials information section 3.

See <http://esis.jrc.ec.europa.eu/index.php?PGM=dat> : Information on ingredients.

Health hazards

See Section 2 & 3 & 11.

Physical hazards

See Section 2 & 10.

Environmental hazards

See Section 2 & 3 & 12.

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Revision date	Modified	
	Version	Modified	Minor
	Safety Data Sheet	Modified	SDS EU format according to COMMISSION REGULATION (EU) 2020/878
1.2	Industrial/Professional use spec	Added	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified	Minor
2.2	Precautionary statements (CLP)	Modified	Minor
3	Composition/information on ingredients	Modified	

Technoclean -T30-

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Indication of changes			
Section	Changed item	Change	Comments
8.2	Personal protective equipment	Modified	
16	Abbreviations and acronyms	Modified	
16	Data sources	Modified	

Abbreviations and acronyms:	
	ABM: Algemene Beoordelings Methodiek (NL) / ADR: Accord Européen relatif au transport international des marchandises dangereuses par route) / ALG: Allergen / AQTX: Aquatic Toxicity / Atm: Atmosphere (unit of pressure) / bw: bodyweight / C: Ceiling / CAR:\Carcinogenic Effects / CAS No: Chemical Abstracts Service Number (see ACS – American Chemical Society) / CMRs: Carcinogenic, Mutagenic or toxic to Reproduction (substances) / CSR: Chemical Safety Report / Cc (cm3): Cubic Centimeter / DNEL: Derived No-Effect Level / EC50: half maximal effective concentration / ED50: Effective Dose 50 / ET50: Exposure Time 50 / I.V.: Intravenous / Kg: Kilogram / LC: Lethal Concentration / LC50: Median Lethal Concentration / LCLO: Lowest Lethal Airborne Concentration Tested (see also LC50, LD50) / LD: Lethal Dose / LD50: Median Lethal Dose LDLO: Lowest Lethal Dose Tested (see also LC50, LD50) / MAC: Maximum Allowable Concentration / MAK: Maximale Arbeitsplatz-Konzentration (Germany, Maximum Workplace Concentration, see OEL) / MSDS: Material Safety Data Sheet / NOAEL: No Observed Adverse Effect Level / NOEL: No Observable Effect Level / OEL: Occupational Exposure Limits / PBTs: Persistent, Bioaccumulative and Toxic substances / PEC: Predicted Environmental Concentration / PNEC: Predicted No-Effect Concentration / REACH: Registration, Evaluation, Authorisation and Restriction of Chemical substances / STEL: Short-Term Exposure Limit / STEV: Short-Term Exposure Value / STP: Sewage Treatment Plant TLM: Threshold Limit, Median / TLV-C: Threshold Limit Value-Ceiling / TLV®: Threshold Limit Value / TWA: Time-Weighted Average / WGK: Wassergefährdungskategorie (Water Hazard Class under German Federal Water Management Act) / g/gms: Grams / kJ/mol: Kilojoules per mole / kPa: KiloPascal (unit of pressure) / m3: Cubic Meter / mg: Milligram / ml: Milliliter / ml Hg: Milliliters of Mercury / n.o.s.: Not Otherwise Specified / nm: nanometer / ppb: Parts Per Billion / pph: parts per hundred (= percent) / ppm: Parts Per Million / ppt: parts per trillion / vPvBs: Very Persistent and Very Bioaccumulative substances
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
DPD	Dangerous Preparations Directive 1999/45/EC
DSD	Dangerous Substances Directive 67/548/EEC
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration

Technoclean -T30-

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms:

OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	Sewage treatment plant
TLM	Median Tolerance Limit
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative

Data sources

: Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. Regulation (EC) No. 648/2004 of 31 March 2004 on detergents.

Other information

: None. DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B

Technoclean -T30-

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:

Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

Full text of use descriptors

AISE SPERC 8a.1.a.v2	Wide Dispersive Use in 'Down the Drain' cleaning and maintenance products (Consumers and Professionals)
ERC8a	Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
PC35	Washing and cleaning products
PROC10	Roller application or brushing
PROC19	Manual activities involving hand contact
PROC2	Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC8a	Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
SU21	Consumer uses: Private households (= general public = consumers)
SU22	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.